## **Certificate of Analysis**

T408055

Global Widget Client Lic#: 8419 Sunstate St. Tampa, FL 33634 Eugene Choi - Global Widget Tampa Compliance for Retail: PA	ASS					
Mystic Labs Delta-8 Gummies Atomic Apple 50m P240452,P240453		•	le Received: 200	Dg	Date Sampled:	08/02/2024
Sample ID: T408055-01 CCB ID:MFG 240384 Matrix: Edibles			Weight: 200g		Date Received: Date Reported:	08/02/2024 08/06/2024
		<u>Safety</u>	Summary	L		
Foreig Materi	als		obials	Moisture Content	Mycotoxins	
PAS	S PA	ASS PA		NOT TESTED	PASS	
Pestici		idual Terr	benes	Water Activity	Vitamins Supplements	
PAS	S   PA		STED	PASS	NOT TESTED	

### **Potency Summary**

#### Cannabinoids

Date Prepared:         08/05/2024         08:13         Prep ID:         6555           Date Analyzed:         08/05/2024         14:37         Analyst ID:         5047	Instrum	en Wt: 5.043 g ent: HPLC VWD		
Lab Batch: 2431131 Analyte	Dilution	Ilysis Method: SOF	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	ND	ND
Cannabidiol (CBD)	1	ND	ND	ND
Cannabidiolic acid (CBDA)	1	ND	ND	ND
Cannabidivarin (CBDV)	1	ND	ND	ND
Cannabigerol (CBG)	1	0.0374	1.48	74.0
Cannabigerolic acid (CBGA)	1	ND	ND	ND
Cannabinol (CBN)	1	0.0151	0.60	30.0
d8 - Tetrahydrocannabinoid (d8-THC)	10	1.39	55.6	2,780
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.221	8.84	442
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	ND	ND
Tetrahydrocannabivarin (THCV)	1	ND	ND	ND
d10 - Tetrahydrocannabinoid	1	ND	ND	ND
(d10-THC)				
Total THC		0.221	8.84	442
Total CBD		0.0000	0.000	0.000
Total Cannabinoids		1.67	66.8	3,340
Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.		Serving Size	e: 4 g	

India Information of Adda Info. India Cable Cabl

### **TL** Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

france



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

# **Certificate of Analysis**

T408055

GI	ob	al	W	/ic	la	et
_					- 3	

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS

: 08/02/2024 : 08/02/2024 : 08/06/2024 Pass Analysis SOP SOP1350 SOP1350 SOP1356 SUITS Status pbb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
: 08/02/2024 : 08/06/2024 SOP1350 SOP1356 sults Status ppb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
: 08/06/2024 Pass SOP1350 SOP1356 SOP1356 SUITS Status pb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
Analysis SOP SOP1350 SOP1350 sOP1356 valts Status ppb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
Analysis SOP SOP1350 SOP1350 sOP1356 valts Status ppb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
soprisso ppb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
ppb ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass ND Pass
ppb ND Pass ND Pass ND Pass ND Pass ND Pass
ND Pass ND Pass ND Pass ND Pass ND Pass
ND Pass ND Pass ND Pass ND Pass
ND Pass ND Pass ND Pass
ND Pass ND Pass
ND Pass
ND Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. \* - GCMSMS Pesticides

un france



10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

**TL** Laboratories

Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

# **Certificate of Analysis**

Total Sample Received: 200g

Total Units Received: 1

Unit Weight: 200g

Dace

Pass

T408055

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

### Compliance for Retail: PASS

Mystic Labs Delta-8 Gummies Atomic Apple 50mg PKG P240452,P240453

Sample ID: T408055-01 CCB ID:MFG 240384 Matrix: Edibles

### **Mycotoxins**

wycoloxins					гаээ
Date Prepared: 08/05/2024 08:14 Date Analyzed: 08/05/2024 18:50	Prepped Analyzed	By: 4599 I By: 2670-0754	Specimen Wt: 1.04 Instrument: LCMSM		
Lab Batch: 2431132		Prep Method: SOP 1363 Analysis Method: SOP 1350			
Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials Date Prepared: 08/02/2024 21:58 Date Analyzed: 08/03/2024 18:19	Prep ID: 68 Analyst ID: 10			men Wt: 1.00 g ment: qPCR	Pass
Lab Batch: 2431141			Analy	sis Method: SOP1353/1364/1352	
Analyte	Acti	on Limit	LOD	Results	Status
		cfu/g	cfu/g	cfu/g	
Aspergillus Flavus		1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus		1	1	Absent in 1 gram	Pass
Aspergillus Niger		1	1	Absent in 1 gram	Pass
Aspergillus Terreus		1	1	Absent in 1 gram	Pass
Salmonella		1	1	Absent in 1 gram	Pass
Shiga Toxin producing	E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold		100000	10000	ND	Pass

Date Sampled:

Date Received:

Date Reported:

08/02/2024

08/02/2024

08/06/2024

Dace

Pass

Pass

0.54

Unless otherwise stated all quality control samples performed within specifications established by the Laboratorv.

#### Foreign Materials

i oreigii materiais			1 433
Date Prepared: 08/02/2024 13:51 Date Analyzed: 08/02/2024 15:03	Prep ID: 3780 Analyst ID: 3780	Instrument: Visual Inspection	

Lab Batch: 2431127	Analysis Metho	d: SOP1359	
Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass
ND = Not Detected.			

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Water Activity

Date Prepared: 08/06/2024 10:56 Date Analyzed: 08/06/2024 18:47 Lab Batch: 2432031	Prepped By: 1094 Specimen WI: 0.50 g Analyzed By: 1094 Instrument: ICPMS Prep Method: SOP 1362 Analysis Method: SOP1358				
Analyte	DIL	Action Lim	it LOD	Results	Status
		рр	b ppb	ppb	
Arsenic	1	150	0 150	ND	Pass
Cadmium	1	50	0 50.0	ND	Pass
Lead	1	50	0 50.0	ND	Pass
Mercury	1	300	0 300	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.

**Heavy Metals** 

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Action Limit	Result	Status
		<b>.</b>
	Analysis Method: SOP1355	
nalyst ID: 3780	Instrument: Water Activity Meter	
Prep ID: 3780	Specimen Wt: 4.01 g	
	nalyst ID: 3780	halyst ID: 3780 Instrument: Water Activity Meter Analysis Method: SOP1355

Water Activity 0.85

ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Sur france



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

# **Certificate of Analysis**

T408055

Global	Wid	lget
--------	-----	------

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

#### Compliance for Retail: PASS

Mystic Lab P240452,P

Sample ID: Matrix: Edibl

### **Residual Solvents**

bs Delta-8 Gummies Atomic Apple 50mg PKG P240453 T408055-01 CCB ID:MFG 240384 Jes	Total Sample Received: 200g Total Units Received: 1 Unit Weight: 200g	Date Sampled: Date Received: Date Reported:	08/02/2024 08/02/2024 08/06/2024

#### **Terpenes Summary** Pass

Date Prepared: 08/02/2024 16:00 Date Analyzed: 08/02/2024 21:37 Lab Batch: 2431138		ID: 2447 ID: 2447			
Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Date Prepared: 08/05/2024 08:24 Date Analyzed: 08/05/2024 18:28 Lab Batch: 2431136	Prep ID: 6555 Analyzed ID: 2447	Specimen Wt: 5.04 g Instrument: GCMS		160
Analyte	Dilution	LOD	nalysis Method: SOP13 Results	00
Analyte		%	%	
3-Carene (+)-	1	0.00248	ND	
alpha Bisabolol, L	1	0.00248	ND	
alpha-Cedrene	1	0.00248	ND	
alpha-Fenchyl alcohol, (+	)- 1	0.00248	ND	
alpha-Humulene	1	0.00248	ND	
alpha-Phellandrene	1	0.00248	ND	
alpha-Pinene	1	0.00248	ND	
alpha-Terpinene	1	0.00248	ND	
alpha-Terpineol	1	0.00248	ND	
beta-Myrcene	1	0.00248	ND	
beta-Ocimene	1	0.00248	ND	
beta-Pinene	1	0.00248	ND	
Borneol	1	0.00248	ND	
Camphene	1	0.00248	ND	
Camphor	1	0.00248	ND	
Caryophyllene Oxide	1	0.00248	ND	
Cedrol	1	0.00248	ND	
D-Limonene	1	0.00248	ND	
E-Caryophyllene	1	0.00248	ND	
E-Nerolidol	1	0.00248	ND	
Eucalyptol	1	0.00248	ND	
Farnesene	1	0.00248	ND	
Fenchone	1	0.00248	ND	
gamma-Terpinene	1	0.00248	ND	
Geraniol	1	0.00248	ND	
Geranyl Acetate	1	0.00248	ND	
Guaiol	1	0.00248	ND	
Isoborneol	1	0.00248	ND	
Isopulegol	1	0.00248	ND	
Linalool	1	0.00248	ND	
Menthol	1	0.00248	ND	
Nerol	1	0.00248	ND	
p-Cymene	1	0.00248	ND	
Pulegone	1	0.00248	ND	
Sabinene	1	0.00248	ND	
Sabinene hydrate	1	0.00248	ND	
Terpinolene	1	0.00248	ND	
Valencene	1	0.00248	ND	
Z-Nerolidol	1	0.00248	ND	
Total Terpenes			0.000	0.00 mg/Unit

Terpene results are provided for informational purposes only.

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### **TL** Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Jani



Brian C. Spann Laboratory Director

Testing Accreditation #116557

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)