

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**

Mystic Labs Delta-9 Gummies Mixed Berry Blitz 10mg PKG P240119

Total Sample Received: 275g

Date Sampled: 03/14/2024

Sample ID: T403224-01 CCB ID:MFG 240130

Total Units Received: 1

Date Received: 03/14/2024

Matrix: Edibles


Unit Weight: 275g

Date Reported: 03/18/2024

Safety Summary

Foreign
Materials
PASSHeavy Metals
PASSMicrobials
PASSMoisture
Content
NOT TESTEDMycotoxins
PASSPesticides
PASSResidual
Solvents
PASSTerpenes
TESTEDWater
Activity
PASS

Potency Summary

**0.224%**
Total THC
616.00 mg/Unit**0.00%**
Total CBD
0.00 mg/Unit**0.0202%**
d8 - Tetrahydrocannabinoid (d8-THC)
55.0 mg/Unit

Cannabinoids

Date Prepared: 03/15/2024 08:45
Date Analyzed: 03/15/2024 12:31
Lab Batch: 2411111Prep ID: 4599
Analyst ID: 754Specimen Wt: 5.071 g
Instrument: HPLC VWD
Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Piece	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	ND	ND
Cannabidiol (CBD)	1	ND	ND	ND
Cannabidiolic acid (CBDA)	1	ND	ND	ND
Cannabidivarin (CBDV)	1	ND	ND	ND
Cannabigerol (CBG)	1	ND	ND	ND
Cannabigerolic acid (CBGA)	1	ND	ND	ND
Cannabinol (CBN)	1	ND	ND	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	0.0202	1.10	55.0
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.224	12.3	616
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	ND	ND
Tetrahydrocannabivarin (THCV)	1	ND	ND	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	ND	ND
Total THC		0.224	12.3	616
Total CBD		0.0000	0.000	0.000
Total Cannabinoids		0.244	13.4	671

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.comBrian C. Spann
Laboratory Director

1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail:

PASS

Mystic Labs Delta-9 Gummies Mixed Berry Blitz 10mg PKG P240119

Total Sample Received: 275g

Date Sampled: 03/14/2024

Sample ID: T403224-01 CCB ID:MFG 240130

Total Units Received: 1

Date Received: 03/14/2024

Matrix: Edibles

Unit Weight: 275g

Date Reported: 03/18/2024

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2411113	LCMSMS	3/15/2024 4:34:43PM	2670	3/15/2024 8:55:00AM	4599	1.03	SOP1350
* Pesticides GCQQQ	2411114	GCMSMS	3/16/2024 7:53:36AM	2670	3/15/2024 8:55:00AM	4599	1.03	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limit	LOD	Results	Status
Abamectin	1	300	30	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acephate	1	3000	300	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Malathion	1	2000	200	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Aldicarb	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin	1	500	50	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Boscalid	1	3000	300	ND	Pass	Naled	1	500	50	ND	Pass
Carbaryl	1	500	50	ND	Pass	Oxamyl	1	500	50	ND	Pass
Carbofuran	1	100	10	ND	Pass	Paclobutrazol	1	100	10	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chloromequat Chloride	1	3000	300	ND	Pass	Phosmet	1	200	20	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	500	50	ND	Pass	Prallethrin	1	400	40	ND	Pass
Coumaphos	1	100	10	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propoxur	1	100	10	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Daminozide	1	100	10	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Diazinon	1	200	20	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Etoxazole	1	1500	150	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fenpyroximate	1	2000	200	ND	Pass	Captan*	1	3000	300	ND	Pass
Fipronil	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Fonicamid	1	2000	200	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Pentachloronitrobenzene*	1	200	20	ND	Pass
Imazalil	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpliflabs.comBrian C. Spann
Laboratory Director

2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: PASS

Mystic Labs Delta-9 Gummies Mixed Berry Blitz 10mg PKG P240119	Total Sample Received: 275g	Date Sampled: 03/14/2024
Sample ID: T403224-01 CCB ID:MFG 240130	Total Units Received: 1	Date Received: 03/14/2024
Matrix: Edibles	Unit Weight: 275g	Date Reported: 03/18/2024

Mycotoxins						Pass	Microbials						Pass
Date Prepared: 03/15/2024 08:55		Prepped By: 4599		Specimen Wt: 1.03 g			Date Prepared: 03/14/2024 15:49		Prep ID: 6814		Specimen Wt: 1.00 g		
Date Analyzed: 03/15/2024 16:34		Analyzed By: 2670		Instrument: LCMSMS			Date Analyzed: 03/15/2024 02:39		Analyst ID: 6814		Instrument: qPCR		
Lab Batch: 2411113		Prep Method: SOP 1363 Analysis Method: SOP 1350					Lab Batch: 2411091		Analysis Method: SOP1353/1364/1352				
Analyte	DIL	Action Limit	LOD	Results	Status		Analyte	Action Limit	LOD	Results	Status		
		ppb	ppb	ppb				cfu/g	cfu/g	cfu/g			
Aflatoxin B1	1	20.0	2	ND	Pass		Aspergillus Flavus	1	1	Absent in 1 gram	Pass		
Aflatoxin B2	1	20.0	2	ND	Pass		Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass		
Aflatoxin G1	1	20.0	2	ND	Pass		Aspergillus Niger	1	1	Absent in 1 gram	Pass		
Aflatoxin G2	1	20.0	2	ND	Pass		Aspergillus Terreus	1	1	Absent in 1 gram	Pass		
Ochratoxin A	1	20.0	2	ND	Pass		Salmonella	1	1	Absent in 1 gram	Pass		
LOD = Limit of Detection; ND = Not Detected.							Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass		
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.							Total Yeast and Mold	100000	10000	ND	Pass		

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Date Prepared: 03/14/2024 14:48
Date Analyzed: 03/14/2024 15:41
Prep ID: 3780
Analyst ID: 3780
Instrument: Visual Inspection
Lab Batch: 2411093
Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pass

Heavy Metals

Date Prepared: 03/15/2024 18:26
Date Analyzed: 03/15/2024 20:14
Lab Batch: 2411108

Prepped By: 1094
Analyzed By: 1094

Specimen Wt: 0.52 g
Instrument: ICPMS

Prep Method: SOP 1362
Analysis Method: SOP1358

Water Activity

Date Prepared: 03/14/2024 15:38
Date Analyzed: 03/14/2024 15:38
Lab Batch: 2411093

Prep ID: 3780
Analyst ID: 3780

Specimen Wt: 4.81 g
Instrument: Water Activity Meter

Analysis Method: SOP1355

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50	ND	Pass
Lead	1	500	50	ND	Pass
Mercury	1	3000	300	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.53	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: PASS

Mystic Labs Delta-9 Gummies Mixed Berry Blitz 10mg PKG P240119	Total Sample Received: 275g	Date Sampled: 03/14/2024
Sample ID: T403224-01 CCB ID:MFG 240130	Total Units Received: 1	Date Received: 03/14/2024
Matrix: Edibles	Unit Weight: 275g	Date Reported: 03/18/2024

Residual Solvents						Pass Terpenes Summary					
Date Prepared: 03/14/2024 18:00		Prep ID: 2447		Specimen Wt: 0.05 g		Date Prepared: 03/15/2024 09:11		Prep ID: 4599		Specimen Wt: 5.07 g	
Date Analyzed: 03/15/2024 12:26		Analyst ID: 2447		Instrument: GCMSMS Headspace		Date Analyzed: 03/16/2024 00:55		Analyzed ID: 2447		Instrument: GCMS	
Lab Batch: 2411096				Analysis Method: SOP1361		Lab Batch: 2411112				Prep/Analysis Method: SOP1360	
Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	Dilution	LOD	Results		
		ppm	ppm	ppm				%	%		
1,1-Dichloroethene	1	8.00	0.8	ND	Pass	Linalool	1	0.00246	0.00523		
1,2-Dichloroethane	1	2.00	0.2	ND	Pass	3-Carene (+)-	1	0.00246	ND		
Acetone	1	750	75	ND	Pass	alpha Bisabolol, L	1	0.00246	ND		
Acetonitrile	1	60.0	6	ND	Pass	alpha-Cedrene	1	0.00246	ND		
Benzene	1	1.00	0.1	ND	Pass	alpha-Fenchyl alcohol, (+)-	1	0.00246	ND		
Butane	1	5000	500	ND	Pass	alpha-Humulene	1	0.00246	ND		
Chloroform	1	2.00	0.2	ND	Pass	alpha-Phellandrene	1	0.00246	ND		
Ethanol	1	5000	500	ND	Pass	alpha-Pinene	1	0.00246	ND		
Ethyl acetate	1	400	40	ND	Pass	alpha-Terpinene	1	0.00246	ND		
Ethyl ether	1	500	50	ND	Pass	alpha-Terpineol	1	0.00246	ND		
Ethylene oxide	1	5.00	0.5	ND	Pass	beta-Myrcene	1	0.00246	ND		
Heptane	1	5000	500	ND	Pass	beta-Ocimene	1	0.00246	ND		
Hexane	1	250	25	ND	Pass	beta-Pinene	1	0.00246	ND		
Isopropyl alcohol	1	500	50	ND	Pass	Borneol	1	0.00246	ND		
Methanol	1	250	25	ND	Pass	Camphene	1	0.00246	ND		
Methylene chloride	1	125	12.5	ND	Pass	Camphor	1	0.00246	ND		
Pentane	1	750	75	ND	Pass	Caryophyllene Oxide	1	0.00246	ND		
Propane	1	5000	500	ND	Pass	Cedrol	1	0.00246	ND		
Toluene	1	150	15	ND	Pass	D-Limonene	1	0.00246	ND		
Xylenes, total	1	150	15	ND	Pass	E-Caryophyllene	1	0.00246	ND		
Trichloroethylene	1	25.0	2.5	ND	Pass	E-Nerolidol	1	0.00246	ND		
						Eucalyptol	1	0.00246	ND		
						Farnesene	1	0.00246	ND		
						Fenchone	1	0.00246	ND		
						gamma-Terpinene	1	0.00246	ND		
						Geraniol	1	0.00246	ND		
						Geranyl Acetate	1	0.00246	ND		
						Guaiol	1	0.00246	ND		
						Isoborneol	1	0.00246	ND		
						Isopulegol	1	0.00246	ND		
						Menthol	1	0.00246	ND		
						Nerol	1	0.00246	ND		
						p-Cymene	1	0.00246	ND		
						Pulegone	1	0.00246	ND		
						Sabinene	1	0.00246	ND		
						Sabinene hydrate	1	0.00246	ND		
						Terpinolene	1	0.00246	ND		
						Valencene	1	0.00246	ND		
						Z-Nerolidol	1	0.00246	ND		
						Total Terpenes			0.005	13.75 mg/Unit	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpene results are provided for informational purposes only.
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)