## **Certificate of Analysis**

T404227

Global Widget Client Lic#: 8419 Sunstate St. Tampa, FL 3 Eugene Choi - Global Widget T Compliance for Retai	ampa					
Mystic Labs Delta-9 Gummies Sav Sample ID: T404227-01 CCB II Matrix: Edibles		0181, P240182 -	Total Sample Received Total Units Receive Unit Weight: 275	ed: 1	Date Sampled: Date Received: Date Reported:	04/12/2024 04/12/2024 04/16/2024
		S	afety Summ	ary	·	
	Foreign Materials	Heavy Metals	Microbials	Moisture Content	Mycotoxins	
	PASS	PASS	PASS	NOT TESTED	PASS	
	Pesticides	Residual Solvents	Terpenes	Water Activity	Vitamins Supplements	
	PASS	PASS	TESTED	PASS	NOT TESTED	
		Pote	ency Summa	iry		
	Tota 687.50 Canna Date Prepar	250% al THC D mg/Unit bbinoids ct: 04/15/2024 09:30 ct: 04/15/2024 13:04 Analyst ID: 415/141	5047 Instrumer	d8 - Tetrahydroca	ID nnabinoid (d8-THC)	
	Analyte		Dilution	Results mg/Serving % mg	mg/Unit	
	Cannab Cannab	ichromene (CBC) idiol (CBD) idiolic acid (CBDA) idivarin (CBDV)	1 1 1 1	ND ND 0.0152 0.83 ND ND ND ND ND ND	ND 41.3 ND ND	
	Cannab Cannab Cannab	igerol (CBG) igerolic acid (CBGA) inol (CBN) rahydrocannabinoid (d8	1 1 1-THC) 1	ND ND ND ND ND ND ND ND	ND ND ND ND	
	d9 - Tetr d9 - Tetra Tetrahyo	ahydrocannabinoid (d9 ahydrocannabinolic acid ( drocannabivarin (THCV) trahydrocannabinoid	-THC) 1 THCA) 1	0.250 13.8 ND ND ND ND ND ND ND ND	688 ND ND ND	
	<u>(</u> d10-T⊢ Total T⊢ Total CE <u>Total Ca</u>	C) IC 3D nnabinoids		0.250 13.8 0.0152 0.836 0.266 14.6	688 41.8 731	
	mg/Unit = Unit LOD = Limit o	ICa * 0.877 + d9-THC. Total CBD= CBDa Weight g * Total THC/CBD mg/g Detection; ND = Not Detected. ise stated all quality control samples perfo	· · · · · · · · · · · · · · · · · · ·	Serving Size: 5.5 g		
TL Laborato	ories	<i>L</i>	Jaan	$\geq$		

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Dud fresh



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the

operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

# **Certificate of Analysis**

T404227

Global	Widget
--------	--------

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Compliance for Retail:

Eugene Choi - Global Widget Tampa

PASS

<b>Mystic Labs Delta-9 Gum</b> Sample ID: T404227-0 Matrix: Edibles		•	40181, P2	240182	То	tal Sample Received: 275g Total Units Received: 1 Unit Weight: 275g		D	ate Sam ate Rece ate Repo	ived:	04/12/2024 04/12/2024 04/16/2024
Pesticides											Pass
Prep Mehtod: SOP 1363	Batch	Instrument		Analyzed		nalyst Prepped	Prepped	By Spe	ecimen Wt. (g)	Ana	lysis SOP
Pesticide LCQQQ Pesticides GCQQQ	2415145 2415146	LCMSMS GCMSMS		4/15/2024 4:1 4/16/2024 11:0		670-0754 4/15/2024 9:43:00AM 754-2670 4/15/2024 9:46:00AM	4599 4599		1.00		SOP1350 SOP1356
Analyte	DIL	Action Limit	LOD	Results		Analyte	DIL	Action Limi		Results	Status
Analyte		ppb	ppb	ppb	Status			ppb	ppb	ppb	Status
Abamectin		1 300	30	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acephate		1 3000	300	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acequinocyl		1 2000	200	ND	Pass	Malathion	1	2000	200	ND	Pass
Acetamiprid		1 3000	300	ND	Pass	Metalaxvl	1	3000	300	ND	Pass
Aldicarb		1 100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin		1 3000	300	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate		1 3000	300	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin		1 500	50	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Boscalid		1 3000	300	ND	Pass	Naled	1	500	50	ND	Pass
Carbaryl		1 500	50	ND	Pass	Oxamyl	1	500	50 50	ND	Pass
Carbofuran		1 100	10	ND	Pass	Paclobutrazol	1	100	10	ND	Pass
Chlorantraniliprole		1 3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chlormequat Chloride	-	1 3000	300	ND	Pass	Phosmet	1	200	20	ND	Pass
•		1 100	10		Pass		1	3000	300	ND	Pass
Chlorpyrifos Clofentezine		1 500	50	ND ND	Pass	Piperonyl butoxide Prallethrin	1	400	300 40	ND	Pass
							1			ND	Pass
Coumaphos		1 100 1 1000	10	ND	Pass	Propiconazole	1	1000	100		
Cyfluthrin		1 1000 1 1000	100	ND	Pass	Propoxur	1	100 1000	10	ND ND	Pass Pass
Cypermethrin			100	ND	Pass	Pyrethrins			100		
Daminozide		1 100	10	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Diazinon		1 200	20 10	ND	Pass Pass	Spinetoram, total	1	3000 3000	300	ND ND	Pass Pass
Dichlorvos		1 100		ND		Spinosad, total			300		
Dimethoate		1 100	10	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Dimethomorph		1 3000	300	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Ethoprophos		1 100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox		1 100	10	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Etoxazole		1 1500	150	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid		1 3000	300	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenoxycarb		1 100	10	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fenpyroximate		1 2000	200	ND	Pass	Captan*	1	3000	300	ND	Pass
Fipronil		1 100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Flonicamid		1 2000	200	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil		1 3000	300	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox		1 2000	200	ND	Pass	Pentachloronitrobenzene*	1	200	20	ND	Pass
Imazalil		1 100	10	ND	Pass						

LOD = Limit of Detection: ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. \* - GCMSMS Pesticides

**TL** Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

un france



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

# **Certificate of Analysis**

Total Sample Received: 275g

Total Units Received: 1

ι

T404227



Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

### Compliance for Retail: PASS

Mystic Labs Delta-9 Gummies Savage Lime 10mg PKG P240181, P240182

Sample ID: T404227-01 CCB ID:MFG 240095

Matrix: Edibles

### **Mycotoxins**

Mycotoxins					Pass
Date Prepared: 04/15/2024 09:43 Date Analyzed: 04/15/2024 16:19	Prepped Analyzed	By: 4599 I By: 2670-0754	Specimen Wt: 1.00 Instrument: LCMSI		
Lab Batch: 2415145		Prep Method: SOP 13	863 Analysis Method:	SOP 1350	
Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

nit Weight: 275g			Date F	Reported:	04/16	/2024
Microbials						Pass
Date Prepared: 04/12/2024 15:55 Date Analyzed: 04/13/2024 20:45	Prep ID: 109 Analyst ID: 109			men Wt: 1.00 g ment: qPCR		
Lab Batch: 2415137			Analys	sis Method: SOP135	3/1364/1352	
Analyte	Actio	on Limit	LOD		Results	Status
		cfu/g	cfu/g		cfu/g	
Aspergillus Flavus		1	1	Absent ir	n 1 gram	Pass
Aspergillus Fumigatus		1	1	Absent in	n 1 gram	Pass
Aspergillus Niger		1	1	Absent ir	n 1 gram	Pass
Aspergillus Terreus		1	1	Absent ir	1 gram	Pass
Salmonella		1	1	Absent ir	1 gram	Pass
Shiga Toxin producing	E. Coli	1	1	Absent ir	1 gram	Pass
Total Yeast and Mold		100000	10000		ND	Pass

Date Sampled:

Date Received:

04/12/2024

04/12/2024

Pass

Pass

Laboratory.

### **Foreign Materials**

Date Prepared: 04/12/2024 15:28	Prep ID: 3780	Instrument: Visual Inspection
Date Analyzed: 04/12/2024 15:42	Analyst ID: 3780	

Lab Batch: 2415125	Analysis Method: SOP1359					
Analyte	Action Limit (% by wt)	Results	Status			
Foreign Material	1.00	ND	Pass			
Feces	0.500	ND	Pass			
ND Not Detected						

ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Water Activity Date Prepared: 04/12/2024 15:42 Prep ID: 3780 Specimen Wt: 5.55 g

Date Analyzed: 04/12/2024 15:42	Analyst ID: 3780	Instrument: Water Activity Meter	
Lab Batch: 2415125		Analysis Method: SOP1355	
Analyte	Action Limit	t Result	Status
	aW	/ aW	
Water Activity	0.8	.48 0.48	Pass

Water Activity 0.85 ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### **Heavy Metals**

Specimen Wt: 0.54 g

Date Prepared: 04/15/2024 18:20 Date Analyzed: 04/16/2024 14:12 Lab Batch: 2415115	Prepped Analyzed	By: 1094 Instru	nen Wt: 0.54 g nent: ICPMS d: SOP 1362 Analys	is Method: SOP1358	
Analyte	DIL Action Limit LOD Results St				
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	3000	300	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**TL Laboratories** 

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Sus fare

Pass



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the

operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

## **Certificate of Analysis**

T404227

Global	Wid	lget
--------	-----	------

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

### Compliance for Retail: PASS

Mystic Labs Delta-9

Sample ID: T4042

### Matrix: Edibles

### **Residual Solvents**

4227-01 CCB ID:MFG 240095 Total Units Received: 1 Date Received: 04/12/2024   Unit Weight: 275g Date Reported: 04/16/2024	-9 Gummies Savage Lime 10mg PKG P240181, P240182	Total Sample Received: 275g	Date Sampled:	04/12/2024
Unit Weight: 275g Date Reported: 04/16/2024	4227-01 CCB ID:MFG 240095	Total Units Received: 1	Date Received:	04/12/2024
		Unit Weight: 275g	Date Reported:	04/16/2024

#### **Terpenes Summary** Pass

Date Prepared: 04/12/2024 14:45 Date Analyzed: 04/12/2024 22:07 Lab Batch: 2415118		ID: 2447 ID: 2447	Specimen WI: 0.05 g Instrument: GCMSMS Headspace Analysis Method: SOP1361			
Analyte	DIL	Action Limit	LOD	Results	Status	
		ppm	ppm	ppm		
1,1-Dichloroethene	1	8.00	0.800	ND	Pass	
1,2-Dichloroethane	1	2.00	0.200	ND	Pass	
Acetone	1	750	75.0	ND	Pass	
Acetonitrile	1	60.0	6.00	ND	Pass	
Benzene	1	1.00	0.100	ND	Pass	
Butane	1	5000	500	ND	Pass	
Chloroform	1	2.00	0.200	ND	Pass	
Ethanol	1	5000	500	ND	Pass	
Ethyl acetate	1	400	40.0	ND	Pass	
Ethyl ether	1	500	50.0	ND	Pass	
Ethylene oxide	1	5.00	0.500	ND	Pass	
Heptane	1	5000	500	ND	Pass	
Hexane	1	250	25.0	ND	Pass	
Isopropyl alcohol	1	500	50.0	ND	Pass	
Methanol	1	250	25.0	ND	Pass	
Methylene chloride	1	125	12.5	ND	Pass	
Pentane	1	750	75.0	ND	Pass	
Propane	1	5000	500	ND	Pass	
Toluene	1	150	15.0	ND	Pass	
Xylenes, total	1	150	15.0	ND	Pass	
Trichloroethylene	1	25.0	2.50	ND	Pass	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

	Prep ID: 4599 Analyzed ID: 2447	Specimen Wt: 5.12 g Instrument: GCMS		
Lab Batch: 2415144		Prep/Analysis Method: SOP1360		1360
Analyte	Dilution	LOD	Results	
Dimonono	1	% 0.00244	° °	
D-Limonene	1		0.00779 ND	
3-Carene (+)-	1	0.00244 0.00244	ND	
alpha Bisabolol, L	1	0.00244	ND	
alpha-Cedrene	-	0.00244	ND	
alpha-Fenchyl alcohol, (+)	- 1	0.00244	ND	
alpha-Humulene	1	0.00244	ND	
alpha-Phellandrene	1	0.00244	ND	
alpha-Pinene	1	0.00244	ND	
alpha-Terpinene	1	0.00244	ND	
alpha-Terpineol	1		ND	
beta-Myrcene beta-Ocimene	1	0.00244 0.00244	ND	
beta-Pinene	1	0.00244	ND	
	1		ND	
Borneol	1	0.00244 0.00244	ND	
Camphene	1		ND	
Camphor		0.00244		
Caryophyllene Oxide	1	0.00244	ND	
Cedrol	-	0.00244	ND	
E-Caryophyllene	1	0.00244	ND	
E-Nerolidol	1	0.00244	ND	
Eucalyptol		0.00244	ND	
Farnesene	1	0.00244	ND	
Fenchone	1	0.00244	ND	
gamma-Terpinene		0.00244	ND	
Geraniol	1	0.00244	ND	
Geranyl Acetate	1	0.00244	ND	
Guaiol	1	0.00244	ND	
Isoborneol	1	0.00244	ND	
Isopulegol	1	0.00244	ND	
Linalool	1	0.00244	ND	
Menthol	1	0.00244	ND	
Nerol	1	0.00244	ND	
p-Cymene	1	0.00244	ND	
Pulegone	1	0.00244	ND	
Sabinene	1	0.00244	ND	
Sabinene hydrate	1	0.00244	ND	
Terpinolene	1	0.00244	ND	
Valencene	1	0.00244	ND	
Z-Nerolidol	1	0.00244	ND	
Total Terpenes			0.008	22.00 mg/Unit

Terpene results are provided for informational purposes only. LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the

Laboratory.

### **TL** Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

fren



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the

operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)